



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Jokisch Migma Tano DSG

Print date: 24.01.2017

Product code: 276

Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Jokisch Migma Tano DSG

#### Further trade names

Old product name: Jokisch W2 OP CBA

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Watersoluble Metalworkingfluid

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
Street:	Industriestraße 5	
Place:	DE-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
e-mail:	info@jokisch-fluids.de	
Contact person:	Herr Sengenhoff	
e-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

#### 1.4. Emergency telephone number:

Giftnotruf Berlin: +49 (0) 30 / 30686 790

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



##### Hazard statements

H319 Causes serious eye irritation.

##### Precautionary statements

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

##### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

### SECTION 3: Composition/information on ingredients

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Migma Tano DSG**

Print date: 24.01.2017

Product code: 276

Page 2 of 7

**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-56-9	Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic			10 - < 15 %
	265-159-2		01-2119480132-48	
	Asp. Tox. 1; H304			
122-99-6	2-phenoxyethanol			5 - < 10 %
	204-589-7	603-098-00-9		
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether			2.5 - < 5 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
68608-26-4	Natriumsulfonat			1 - < 2.5 %
	Eye Irrit. 2; H319			
90-43-7	2-hydroxybiphenyl, 2-phenylphenol (ISO), biphenyl-2-ol			0.1 - < 1 %
	201-993-5	604-020-00-6		
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Aquatic Acute 1; H319 H335 H315 H400			
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt			0.1 - < 1 %
	223-296-5			
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1; H302 H332 H315 H319 H400			
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

**After ingestion**

Do not induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Migma Tano DSG

Print date: 24.01.2017

Product code: 276

Page 3 of 7

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### **Suitable extinguishing media**

Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO<sub>2</sub>).

###### **Unsuitable extinguishing media**

High power water jet.

##### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire:

Nitrogen oxides (NO<sub>x</sub>).

Carbon monoxide.

Carbon dioxide (CO<sub>2</sub>).

##### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

##### 6.2. Environmental precautions

Contain and control the leaks or spills with noncombustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal

Do not empty into drains or the aquatic environment.

##### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Large quantities remove mechanically

Clean contaminated objects and areas thoroughly observing environmental regulations. Clean with detergents.

Avoid solvent cleaners.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### **Advice on safe handling**

Use only in well-ventilated areas.

Direct contact with skins avoid.

When using do not eat, drink or smoke.

###### **Advice on protection against fire and explosion**

Prevent access by unauthorised personnel.

###### **Further information on handling**

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

##### 7.2. Conditions for safe storage, including any incompatibilities

###### **Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of dampness.

Recommended storage temperature: 5-40 °C

Maximum period of storage (time): 1 Jahr

###### **Advice on storage compatibility**

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

###### **Further information on storage conditions**

te regulations relating to storage premises apply to workshops where the product is handled.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Jokisch Migma Tano DSG

Print date: 24.01.2017

Product code: 276

Page 4 of 7

Maximum period of storage (time):

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Protective and hygiene measures

Use personal protection equipment as per Directive 89/686/EEC.

##### Eye/face protection

Use glasses or face shield if there is a risk of splashing.

##### Hand protection

Protect skin by using skin protective cream.

Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and at the end of work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

##### Skin protection

Chemical resistant safety shoes.

Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product.

Set out skin protection guidelines.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow brown
Odour:	characteristic

##### Test method

pH-Value (at 20 °C): in aqueous solution 5% ; 8,9 DIN 51369

##### Changes in the physical state

Flash point:	not applicable
Ignition temperature:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,99 g/cm <sup>3</sup> EN ISO 12185
Viscosity / kinematic: (at 20 °C)	77 mm <sup>2</sup> /s ASTM D 7042

### SECTION 10: Stability and reactivity

#### 10.4. Conditions to avoid

Protect against: heat.

#### 10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Jokisch Migma Tano DSG

Print date: 24.01.2017

Product code: 276

Page 5 of 7

### 10.6. Hazardous decomposition products

Hazardous decomposition products: none/none

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

CAS No	Chemical name	Exposure route	Dose	Species	Source
64742-56-9	Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic	oral	LD50 > 5000 mg/kg	RAT	
		dermal	LD50 >5000 mg/kg	RABBIT	
		inhalative (4 h) aerosol	LC50 >5 mg/l		
122-99-6	2-phenoxyethanol	oral	LD50 1850 mg/kg	Rat	
		dermal	LD50 >2000 mg/kg	Rabbit	
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	oral	LD50 5660 mg/kg	Rat	
		dermal	LD50 4120 mg/kg	Rabbit	
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	oral	LD50 500 mg/kg	Rat.	
		dermal	LD50 4500 mg/kg		
		inhalative vapour	ATE 11 mg/l		
		inhalative (4 h) aerosol	LC50 2,7 mg/l		
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	oral	LD50 1020 mg/kg	RAT	

#### Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name	Aquatic toxicity	Dose	[h]   [d]	Species	Source
122-99-6	2-phenoxyethanol	Acute fish toxicity	LC50 220 - 460 mg/l	96 h	Leuciscus idus	
		Acute algae toxicity	ErC50 > 500 mg/l	72 h	Scenedesmus sp.	
		Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna	
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	Acute algae toxicity	ErC50 > 100 mg/l		Scenedesmus sp.	
		Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Jokisch Migma Tano DSG

Print date: 24.01.2017

Product code: 276

Page 6 of 7

### 12.2. Persistence and degradability

Additional information: none/none

### 12.3. Bioaccumulative potential

Can be concentrated in organisms.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,16
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	0,56 (25°C)

### 12.4. Mobility in soil

in delivery condition: liquid

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Completely emptied packings can be re-cycled. Waste disposal according to official state regulations.

#### Waste disposal number of waste from residues/unused products

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens  
Classified as hazardous waste.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### Other applicable information (land transport)

Not restricted

### Inland waterways transport (ADN)

#### Other applicable information (inland waterways transport)

Not restricted

### Marine transport (IMDG)

#### Other applicable information (marine transport)

Not restricted

### Air transport (ICAO)

#### Other applicable information (air transport)

Not restricted

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 1,3,9.

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Migma Tano DSG

Print date: 24.01.2017

Product code: 276

Page 7 of 7

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*