



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Jokisch Monos Atos M3B

Further trade names

Old product name: Jokisch Allround SD 401

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cutting oil

1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
Street:	Industriestraße 5	
Place:	DE-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
e-mail:	info@jokisch-fluids.de	
Contact person:	Herr Sengenhoff	
e-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

1.4. Emergency telephone number:

Giftnotruf Berlin: +49 (0) 30 / 30686 790

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:
Reproductive toxicity: Lact.
Hazardous to the aquatic environment: Aquatic Chronic 2
Hazard Statements:
May cause harm to breast-fed children.
Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

alkanes, C14-17, chloro; chlorinated paraffins, C14-17

Pictograms:



Hazard statements

H362	May cause harm to breast-fed children.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy/while nursing.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P308+P313	IF exposed or concerned: Get medical advice/attention.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 2 of 8

P391 Collect spillage.
P501 Dispose of contents/container to hazardous waste.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17			20 - < 25 %
	287-477-0	602-095-00-X		
	Lact., Aquatic Acute 1, Aquatic Chronic 1; H362 H400 H410 EUH066			
68425-15-0	Polysulfides, di-tert-dodecyl			10 - < 15 %
	270-335-7			
	Aquatic Chronic 4; H413			
4259-15-8	2-Ethylhexyl-zink-dithiophosphat			1 - < 2.5 %
	224-235-5		01-2119493635-27	
	Aquatic Chronic 2; H411			
93820-57-6	Benzolsulfonsäuren, di-C10-18-alkyl Derivate, Calcium-Salze			1 - < 2.5 %
	298-637-4			
	Skin Irrit. 2, Aquatic Chronic 3; H315 H412			
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic			0.1 - < 1 %
	265-156-6		01-2119480375-34	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do not induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures**5.1. Extinguishing media**



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 3 of 8

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire:

Carbon dioxide (CO₂).

Carbon monoxide.

Nitrogen oxides (NO_x).**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Large quantities remove mechanically

Clean contaminated objects and areas thoroughly observing environmental regulations.

Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid oil mist

Use only in well-ventilated areas.

Direct contact with skins avoid.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of dampness.

Recommended storage temperature: 5-40 °C

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Maximum period of storage (time): 2 Jahr

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 4 of 8

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
68425-15-0	Polysulfides, di-tert-dodecyl			
Worker , long-term		dermal	systemic	33,3 mg/kg bw/day
Worker , long-term		inhalation	systemic	23,5 mg/m ³
Consumer , long-term		oral	systemic	1,66 mg/kg bw/day
Consumer , long-term		dermal	systemic	16,6 mg/kg bw/day
Consumer , long-term		inhalation	systemic	5,8 mg/m ³

8.2. Exposure controls

Protective and hygiene measures

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing.

Hand protection

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and at the end of work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow brown
Odour:	characteristic

Test method

pH-Value: not applicable

Changes in the physical state

Initial boiling point and boiling range: not determined

Flash point: 121 °C

Lower explosion limits: not determined

Upper explosion limits: not determined

Vapour pressure: not determined

Density (at 20 °C): 0,96 g/cm³ EN ISO 12185

Viscosity / kinematic:
(at 20 °C) 94,50 mm²/s ASTM D 7042



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 5 of 8

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none/none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name	Exposure route	Dose	Species	Source
68425-15-0	Polysulfides, di-tert-dodecyl	oral	LD50 19559 mg/kg	RAT	
		dermal	LD50 >2000 mg/kg	RABBIT	
4259-15-8	2-Ethylhexyl-zink-dithiophosphat	oral	LD50 4358 mg/kg	Ratte	
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic	oral	LD50 >5000 mg/kg	Rabbit	
		dermal	LD50 >5000 mg/kg	Rabbit	
		inhalative (4 h) vapour	LC50 >5 mg/l	Rat	

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name	Aquatic toxicity	Dose	[h] [d]	Species	Source
68425-15-0	Polysulfides, di-tert-dodecyl	Acute fish toxicity	LC50 >100 mg/l	96 h	Danio rerio	

12.4. Mobility in soil

in delivery condition: liquid

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017


Product code: 42

Page 6 of 8

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Classification code: M6
Special Provisions: 274 335 601
Limited quantity: 5 L
Transport category: 3
Hazard No: 90
Tunnel restriction code: E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Classification code: M6
Special Provisions: 274 335 601
Limited quantity: 5 L

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Special Provisions: 274, 335
Limited quantity: 5 L
EmS: F-A, S-F

Other applicable information (marine transport)

E1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 7 of 8

Air transport (ICAO)

14.1. UN number:	UN3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9



Special Provisions:	A97 A158
Limited quantity Passenger:	30 kg G
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L

Other applicable information (air transport)

E1
: Y964

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water contaminating class (D):	2 - water contaminating

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Atos M3B

Print date: 25.01.2017

Product code: 42

Page 8 of 8

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)